

Experiment Number: 88073-03

Test Type: 90-DAY

Route: Gavage

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: 2',3'-Dideoxycytidine

CAS Number: 7481-89-2

Date Report Requested: 10/22/2014

Time Report Requested: 02:48:50

First Dose M/F: NA / NA

Lab: SRI

C Number: C88073B

Lock Date: 02/05/1993

Cage Range: All

Date Range: All

Reasons For Removal: All

Removal Date Range: All

Treatment Groups: All

Study Gender: Female

PWG Approval Date NONE

Experiment Number: 88073-03
 Test Type: 90-DAY
 Route: Gavage
 Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Test Compound: 2',3'-Dideoxycytidine
 CAS Number: 7481-89-2

Date Report Requested: 10/22/2014
 Time Report Requested: 02:48:50
 First Dose M/F: NA / NA
 Lab: SRI

| B6C3F1 Mouse Female VEHICLE CONTROL | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 |

Alimentary System

| | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | M | M | M | M | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

X

X

| | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Basophilic Focus | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | + | | | | | | | |
| Accessory Spleen | | | | | | | | | | | | | | | X | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | 2 | 2 | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

Cardiovascular System

| | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 88073-03
 Test Type: 90-DAY
 Route: Gavage
 Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Test Compound: 2',3'-Dideoxycytidine
 CAS Number: 7481-89-2

Date Report Requested: 10/22/2014
 Time Report Requested: 02:48:50
 First Dose M/F: NA / NA
 Lab: SRI

| B6C3F1 Mouse Female VEHICLE CONTROL | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 |

Endocrine System

| | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | | | | | | | | 2 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + |
| Cyst | | | | | | | | | | | | | | | | | | | | | | 3 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Degeneration, Cystic | | | | | | | | | | | | | | | | | | | | | | 2 |
| | | | | | | | | | | | | | | | | | | | | | | 1 |

General Body System

NONE

Genital System

| | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cyst | | | | | | | | | | | | | | | | | | | | | | 3 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia, Cystic | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | | | | | | | | | | | | | | 2 |

Hematopoietic System

| | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | 2 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 88073-03

Test Type: 90-DAY

Route: Gavage

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: 2',3'-Dideoxycytidine

CAS Number: 7481-89-2

Date Report Requested: 10/22/2014

Time Report Requested: 02:48:50

First Dose M/F: NA / NA

Lab: SRI

B6C3F1 Mouse Female
VEHICLE CONTROL

| DAY ON TEST | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

Hyperplasia

Lymph Node, Mandibular

Lymph Node, Mesenteric

Spleen

Hematopoietic Cell Proliferation

Thymus

Integumentary System

Mammary Gland

Skin

Epidermis, Hyperplasia

Inflammation, Chronic

Musculoskeletal System

Bone

Nervous System

Brain

Respiratory System

Lung

Hemorrhage

Nose

Trachea

3

2

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 88073-03

Test Type: 90-DAY

Route: Gavage

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: 2',3'-Dideoxycytidine

CAS Number: 7481-89-2

Date Report Requested: 10/22/2014

Time Report Requested: 02:48:50

First Dose M/F: NA / NA

Lab: SRI

B6C3F1 Mouse Female
VEHICLE CONTROL

| DAY ON TEST | Special Senses System | | | | | | | | | | | | | | | | | | | |
|-------------|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Urinary System | | | | | | | | | | | | | | | | | | | |
| | Gastrointestinal Tract | | | | | | | | | | | | | | | | | | | |
| | Liver | | | | | | | | | | | | | | | | | | | |
| | Blood | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 |

Special Senses System

NONE

Urinary System

| | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Casts Protein | | | | | | | | | | | | | | | | | 1 | | | | 1 |
| Renal Tubule, Regeneration | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 88073-03
Test Type: 90-DAY
Route: Gavage
Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Test Compound: 2',3'-Dideoxycytidine
CAS Number: 7481-89-2

Date Report Requested: 10/22/2014
Time Report Requested: 02:48:51
First Dose M/F: NA / NA
Lab: SRI

| B6C3F1 Mouse Female VEHICLE CONTROL | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ANIMAL ID | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 | |

*TOTALS

Alimentary System

| | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | I | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | 48 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | 49 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

Basophilic Focus

Inflammation, Chronic

2
1 1.0

Mesentery

Accessory Spleen

1
1

Pancreas

Salivary Glands

Infiltration Cellular, Lymphocyte

50
50
3
4 2.3

Stomach, Forestomach

Stomach, Glandular

50
50

Cardiovascular System

Blood Vessel

Heart

50
50

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

1-4 ..Lesion qualified as:

X ..Lesion present

A ..Autolysis precludes evaluation

1) Minimal 3) Moderate

I ..Insufficient tissue

BLANK ..Not examined microscopically

2) Mild 4) Marked

Experiment Number: 88073-03
 Test Type: 90-DAY
 Route: Gavage
 Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Test Compound: 2',3'-Dideoxycytidine
 CAS Number: 7481-89-2

Date Report Requested: 10/22/2014
 Time Report Requested: 02:48:51
 First Dose M/F: NA / NA
 Lab: SRI

| B6C3F1 Mouse Female VEHICLE CONTROL | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *TOTALS | | | | | | | | | | | | | | | | | | |

Endocrine System

| | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | | | 2 | 2.0 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | 47 |
| Cyst | | | | | | | | | | | | | | | | | 3 | 2 3.0 |
| Pituitary Gland | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | 47 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Degeneration, Cystic | | | | | | | | | | | | | | | | | | 4 1.5 |

General Body System

NONE

Genital System

| | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cyst | | | | | | | | | | | | | | | | | 3 | 3.0 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hyperplasia, Cystic | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 1 | 2 | | | 34 2.0 |

Hematopoietic System

| | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hyperplasia | | | | | | | | | | | | | | | | | 1 | 2.0 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 88073-03
 Test Type: 90-DAY
 Route: Gavage
 Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Test Compound: 2',3'-Dideoxycytidine
CAS Number: 7481-89-2

Date Report Requested: 10/22/2014
 Time Report Requested: 02:48:51
 First Dose M/F: NA / NA
 Lab: SRI

| B6C3F1 Mouse Female VEHICLE CONTROL | DAY ON TEST | | | | | | | | | | | | | | | | | | |
|--|-------------|----------------|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Integumentary System | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| Musculoskeletal System | | *TOTALS | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | 1 | 2.0 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Nervous System | | 1 | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | 1 | 1.0 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Respiratory System | | 1 | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | 1 | 2.0 | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 88073-03

Test Type: 90-DAY

Route: Gavage

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: 2',3'-Dideoxycytidine

CAS Number: 7481-89-2

Date Report Requested: 10/22/2014

Time Report Requested: 02:48:51

First Dose M/F: NA / NA

Lab: SRI

B6C3F1 Mouse Female
VEHICLE CONTROL

| DAY ON TEST | B6C3F1 Mouse Female | | | | | | | | | | | | | | | | | |
|-------------|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |

*TOTALS

Special Senses System

NONE

Urinary System

| | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Casts Protein | | | | | | | | | | | | | | | | | | 1 | 3 1.0 |
| Renal Tubule, Regeneration | | | | | | | | | | | | | | | | | | 1 | 3 1.3 |
| Urinary Bladder | + | + | + | | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

1-4 ..Lesion qualified as:

X ..Lesion present

A ..Autolysis precludes evaluation

1) Minimal 3) Moderate

| ..Insufficient tissue

BLANK ..Not examined microscopically

2) Mild 4) Marked

Experiment Number: 88073-03
 Test Type: 90-DAY
 Route: Gavage
 Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Test Compound: 2',3'-Dideoxycytidine
 CAS Number: 7481-89-2

Date Report Requested: 10/22/2014
 Time Report Requested: 02:48:51
 First Dose M/F: NA / NA
 Lab: SRI

| B6C3F1 Mouse Female 500 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 8 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 |

Alimentary System

| | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | 2 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

Cardiovascular System

| | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cardiomyopathy | | | | | | | | | | | | | | | | | | | | | | |

Endocrine System

| | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 88073-03

Test Type: 90-DAY

Route: GAVAGE

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: 2',3'-Dideoxycytidine

CAS Number: 7481-89-2

Date Report Requested: 10/22/2014

Time Report Requested: 02:48:51

First Dose M/F: NA / NA

Lab: SRI

B6C3F1 Mouse Female
500 MG/KG

| DAY ON TEST | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Parathyroid Gland | + | + | + | + | + | M | + | + | + | + | + | M | + | + | + | + | + | + | + | + | |
| Cyst | 3 | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Pars Nervosa, Cyst | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Degeneration, Cystic | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| General Body System | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | |
| Genital System | | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cyst | | | | | | | | | | | | | | | | | | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hyperplasia, Cystic | 2 | | | | | 2 | 2 | 3 | 2 | | 2 | 3 | 2 | | 1 | 2 | 1 | 2 | 2 | 2 | 2 |
| | | | | | | | | | | | | | | | | | | | | | |
| Hematopoietic System | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 88073-03

Test Type: 90-DAY

Route: Gavage

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: 2',3'-Dideoxycytidine

CAS Number: 7481-89-2

Date Report Requested: 10/22/2014

Time Report Requested: 02:48:52

First Dose M/F: NA / NA

Lab: SRI

| B6C3F1 Mouse Female 500 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 8 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 |
| Spleen | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thymus | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + |
| Integumentary System | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skin | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Epidermis, Hyperplasia | | | | | | | | | | | | | | | | | 2 | | | | | 2 |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | 1 |
| Musculoskeletal System | | | | | | | | | | | | | | | | | | | | | | |
| Bone | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Nervous System | | | | | | | | | | | | | | | | | | | | | | |
| Brain | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | |
| Respiratory System | | | | | | | | | | | | | | | | | | | | | | |
| Lung | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar Epith, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | |
| Hemorrhage | | | | | | | | | | | | | | | | | 2 | | | | | |
| Inflammation, Granulomatous | | | | | | | | | | | | | | | | | | | | | | |
| Nose | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Trachea | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 88073-03

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Date Report Requested: 10/22/2014

Test Type: 90-DAY

Test Compound: 2',3'-Dideoxycytidine

Time Report Requested: 02:48:52

Route: Gavage

CAS Number: 7481-89-2

First Dose M/F: NA / NA

Species/Strain: Mouse/B6C3F1

Lab: SRI

| B6C3F1 Mouse Female 500 MG/KG | DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| | | 1 | | | | | | | | | | | | | | | | | | | | | |
| | | 8 | | | | | | | | | | | | | | | | | | | | | |
| | | 3 | | | | | | | | | | | | | | | | | | | | | |
| | | 0 | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 8 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | |

Special Senses System

Ear

Urinary System

| | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Casts Protein | | | | | | 1 | | | | | | | | | | | | | | | | | 1 |
| Renal Tubule, Atrophy | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Renal Tubule, Regeneration | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 88073-03

Test Type: 90-DAY

Route: Gavage

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: 2',3'-Dideoxycytidine

CAS Number: 7481-89-2

Date Report Requested: 10/22/2014

Time Report Requested: 02:48:52

First Dose M/F: NA / NA

Lab: SRI

| B6C3F1 Mouse Female 500 MG/KG | DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | |
|----------------------------------|-------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | 1 | | | | | | | | | | | | | | | | | | |
| | | 8 | | | | | | | | | | | | | | | | | | |
| | | 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | | | | | | | | | | | | | | | | | | |
| | | 0 | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | | 0 | | | | | | | | | | | | | | | | | | |
| | | 0 | | | | | | | | | | | | | | | | | | |
| | | 0 | | | | | | | | | | | | | | | | | | |
| | | 8 | | | | | | | | | | | | | | | | | | |
| | | 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 9 0 0 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |

*TOTALS

Alimentary System

| | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Small, Ileum | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | 4 2.0 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

Cardiovascular System

| | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cardiomyopathy | 2 | | | | | | | | | | | | | | | | | 1 2.0 | |

Endocrine System

| | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 88073-03
 Test Type: 90-DAY
 Route: Gavage
 Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Test Compound: 2',3'-Dideoxycytidine
 CAS Number: 7481-89-2

Date Report Requested: 10/22/2014
 Time Report Requested: 02:48:52
 First Dose M/F: NA / NA
 Lab: SRI

| B6C3F1 Mouse Female 500 MG/KG | DAY ON TEST | *TOTALS | | | | | | | | | | | | | | | | | | |
|-----------------------------------|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|-----|--|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | |
| | | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| | | | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | 1 | | | 1 | 2 | | 3 | 6 | 2.0 | | |
| Adrenal Medulla | | | | | | | | | | + | + | + | + | + | + | + | + | + | 50 | |
| Islets, Pancreatic | | | | | | | | | | + | + | + | + | + | + | + | + | + | 50 | |
| Parathyroid Gland | | | | | | | | | | + | + | + | + | + | M | + | + | + | 47 | |
| Cyst | | | | | | | | | | | | | | | | | 4 | 3.0 | | |
| Pituitary Gland | | | | | | | | | | + | + | + | + | + | + | + | + | + | 50 | |
| Pars Nervosa, Cyst | | | | | | | | | | | | | | | | | | 1 | 2.0 | |
| Thyroid Gland | | | | | | | | | | + | + | + | + | + | + | + | + | + | 50 | |
| Degeneration, Cystic | | | | | | | | | | | | | | | | | | 4 | 1.8 | |
| General Body System | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | |
| Genital System | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland | | | | | | | | | | + | + | + | + | + | + | + | + | + | 50 | |
| Ovary | | | | | | | | | | + | + | + | + | + | + | + | + | + | 50 | |
| Cyst | | | | | | | | | | | | | | | | | | 1 | 3.0 | |
| Uterus | | | | | | | | | | + | + | + | + | + | + | + | + | + | 50 | |
| Hyperplasia, Cystic | | | | | | | | | | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 26 | 1.9 | |
| Hematopoietic System | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | | | | | | | | | | + | + | + | + | + | + | + | + | + | 50 | |
| Lymph Node, Mandibular | | | | | | | | | | + | + | + | + | + | + | + | M | + | 49 | |
| Lymph Node, Mesenteric | | | | | | | | | | + | + | + | + | + | + | + | + | + | 50 | |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

L ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal
- 2) Mild
- 3) Moderate
- 4) Marked

Experiment Number: 88073-03

Test Type: 90-DAY

Route: Gavage

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: 2',3'-Dideoxycytidine

CAS Number: 7481-89-2

Date Report Requested: 10/22/2014

Time Report Requested: 02:48:52

First Dose M/F: NA / NA

Lab: SRI

| B6C3F1 Mouse Female 500 MG/KG | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | *TOTALS |
|----------------------------------|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|---------|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | |
| | | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| Spleen | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Thymus | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Integumentary System | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Skin | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Epidermis, Hyperplasia | | | | | | | | | | | | | | | | | | | 4 2.0 | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | 3 1.3 | |
| Musculoskeletal System | | | | | | | | | | | | | | | | | | | | |
| Bone | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Nervous System | | | | | | | | | | | | | | | | | | | | |
| Brain | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | 1 | |
| Spinal Cord | | | | | | | | | | | | | | | | | | | 1 | |
| Respiratory System | | | | | | | | | | | | | | | | | | | | |
| Lung | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Alveolar Epith, Hyperplasia | | | | | | | | | | | | | | | | | | | 1 4.0 | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Inflammation, Granulomatous | | | | | | | | | | | | | | | | | | | 1 3.0 | |
| Nose | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Trachea | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 88073-03

Test Type: 90-DAY

Route: Gavage

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: 2',3'-Dideoxycytidine

CAS Number: 7481-89-2

Date Report Requested: 10/22/2014

Time Report Requested: 02:48:52

First Dose M/F: NA / NA

Lab: SRI

B6C3F1 Mouse Female
500 MG/KG

| DAY ON TEST | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |

| ANIMAL ID | | | | | | | | | | | | | | | | | | | *TOTALS |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

TOTALS*Special Senses System**

Ear

+

1

Urinary System

Kidney

+ + + + + + + + + + + + + + + + + + 50

Casts Protein

1 1 1 1.0

Renal Tubule, Atrophy

1 4.0

Renal Tubule, Regeneration

1 1 1.0

Urinary Bladder

+ + + + + + + + + + + + + + + + + + 50

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 88073-03

Test Type: 90-DAY

Route: Gavage

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: 2',3'-Dideoxycytidine

CAS Number: 7481-89-2

Date Report Requested: 10/22/2014

Time Report Requested: 02:48:52

First Dose M/F: NA / NA

Lab: SRI

| B6C3F1 Mouse Female 1000 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 |
| | | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 |

Alimentary System

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocyte, Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | 4 | | | 4 | | | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | 3 | | | 2 | 3 | |
| Ulcer | | | | | | | | | | | | | | | | | | 3 | | | 2 | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ulcer | | | | | | | | | | | | | | | | | | | | | | | |

Cardiovascular System

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 88073-03
 Test Type: 90-DAY
 Route: Gavage
 Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Test Compound: 2',3'-Dideoxycytidine
 CAS Number: 7481-89-2

Date Report Requested: 10/22/2014
 Time Report Requested: 02:48:53
 First Dose M/F: NA / NA
 Lab: SRI

| B6C3F1 Mouse Female 1000 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 |
| Endocrine System | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 3 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 |
| General Body System | Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | NONE | | | | | | | | | | | | | | | | | | | | | |
| | Genital System | | | | | | | | | | | | | | | | | | | | | |
| | Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hematopoietic System | Cyst | | | | | | | | | | | | | | | | | | | | | 3 |
| | Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | Hyperplasia, Cystic | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 1 | 2 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 1 | 2 | 1 | 2 | 2 |
| | Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 88073-03

Test Type: 90-DAY

Route: Gavage

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: 2',3'-Dideoxycytidine

CAS Number: 7481-89-2

Date Report Requested: 10/22/2014

Time Report Requested: 02:48:53

First Dose M/F: NA / NA

Lab: SRI

| B6C3F1 Mouse Female 1000 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | |
| Bone Marrow | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | + | |
| Lymph Node, Mandibular | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | | |
| Lymph Node, Mesenteric | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Spleen | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | 2 | | | | | | |
| Thymus | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | | |
| Atrophy | | | | | | | | | | | | | | | | | | M | + | + | + | | |
| Integumentary System | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Skin | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Musculoskeletal System | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | |
| Nervous System | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Respiratory System | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Hemorrhage | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Trachea | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

- 1) Minimal 3) Moderate
- 2) Mild 4) Marked

Experiment Number: 88073-03

Test Type: 90-DAY

Route: Gavage

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: 2',3'-Dideoxycytidine

CAS Number: 7481-89-2

Date Report Requested: 10/22/2014

Time Report Requested: 02:48:53

First Dose M/F: NA / NA

Lab: SRI

| | | DAY ON TEST | B6C3F1 Mouse Female | | | | | | | | | | | | | | | | | | | |
|---|---|-------------|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| | | | 1000 MG/KG | | | | | | | | | | | | | | | | | | | |
| | | | ANIMAL ID | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 3 | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | |

Special Senses System

NONE

Urinary System

| | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Casts Protein | | | | | | | | | | | | | | | | | 1 | 1 | | | | |
| Renal Tubule, Necrosis | | | | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Regeneration | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 88073-03

Test Type: 90-DAY

Route: Gavage

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: 2',3'-Dideoxycytidine

CAS Number: 7481-89-2

Date Report Requested: 10/22/2014

Time Report Requested: 02:48:53

First Dose M/F: NA / NA

Lab: SRI

| B6C3F1 Mouse Female 1000 MG/KG | DAY ON TEST | DAY ON TEST | | | | | | | | | | | | | | | | | |
|---|-------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 8 | 8 | 7 | 5 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 7 | 8 | 8 | 8 | 2 | 8 | 7 |
| | | 4 | 4 | 1 | 7 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 4 | 5 | 5 | 5 | 6 | 5 | 4 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

TOTALS*Alimentary System**

| | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Esophagus | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | 48 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | M | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | 47 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocyte, Vacuolization Cytoplasmic | | | | | | | | | | | | | | | | | | 2 | 4.0 |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | 1 | 1.0 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | | | | | 2 | 1 2.0 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | | 4 | 7 2.9 |
| Ulcer | | | | | | | | | | | | | | | | | | 2 | 3 2.3 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Ulcer | | | | | | | | | | | | | | | | | | 3 | 1 3.0 |
| Cardiovascular System | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

X ..Lesion present

I ..Insufficient tissue

M ..Missing tissue

A ..Autolysis precludes evaluation

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 88073-03
 Test Type: 90-DAY
 Route: Gavage
 Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Test Compound: 2',3'-Dideoxycytidine
 CAS Number: 7481-89-2

Date Report Requested: 10/22/2014
 Time Report Requested: 02:48:53
 First Dose M/F: NA / NA
 Lab: SRI

| B6C3F1 Mouse Female 1000 MG/KG | DAY ON TEST | *TOTALS | | | | | | | | | | | | | | | | | |
|-----------------------------------|-------------|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|-------|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 8 | 8 | 7 | 5 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 7 | 8 | 8 | 8 | 2 | 8 | 7 |
| | | 4 | 4 | 1 | 7 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 4 | 5 | 5 | 5 | 6 | 5 | 4 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| Heart | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Endocrine System | | | | | | | | | | | | | | | | | | | 50 |
| Adrenal Cortex | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Accessory Adrenal Cortical Nodule | | | | | | | | | | | | | | | | | | 2 | 4 1.8 |
| Adrenal Medulla | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Islets, Pancreatic | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Parathyroid Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | |
| Pituitary Gland | | M | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | |
| Thyroid Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 | |
| Degeneration, Cystic | | 1 | 2 | | | | | | | | | | | | | | | 10 1.7 | |
| Follicle, Cyst | | | | | | | | | | | | | | | | | | 1 2.0 | |
| General Body System | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | |
| Genital System | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Ovary | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Cyst | | | | | | | | | | | | | | | | | | 2 3.0 | |
| Uterus | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hyperplasia, Cystic | | 2 | 2 | | | 2 | 1 | 3 | | 2 | | | 2 | | | | | 31 1.8 | |
| Hematopoietic System | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 88073-03

Test Type: 90-DAY

Route: Gavage

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: 2',3'-Dideoxycytidine

CAS Number: 7481-89-2

Date Report Requested: 10/22/2014

Time Report Requested: 02:48:54

First Dose M/F: NA / NA

Lab: SRI

B6C3F1 Mouse Female
1000 MG/KG

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | *TOTALS |
|----------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|----------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 8 | 8 | 7 | 5 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 7 | 8 | 8 | 8 | 2 | |
| | 4 | 4 | 1 | 7 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 4 | 5 | 5 | 5 | 6 | 5 | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymph Node | | + | + | | | | | | | | | | | | | | | 5 | |
| Lymph Node, Mandibular | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | M | + | + | 47 |
| Lymph Node, Mesenteric | + | + | + | + | + | M | + | + | + | + | + | + | + | M | + | + | M | + | 47 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hematopoietic Cell Proliferation | | | | | | | | | | | | | | | | | | 1 2.0 | |
| Thymus | + | + | + | + | + | + | + | + | + | I | + | + | + | + | + | + | + | 47 | |
| Atrophy | | | | | | | | | | | | | | | | | | 2 | 1 2.0 |
| Integumentary System | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Musculoskeletal System | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | + | 1 |
| Nervous System | | | | | | | | | | | | | | | | | | | |
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Respiratory System | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemorrhage | | | | | | | | | | | | | | | | | | 2 | 2.0 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Experiment Number: 88073-03

Test Type: 90-DAY

Route: Gavage

Species/Strain: Mouse/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Test Compound: 2',3'-Dideoxycytidine

CAS Number: 7481-89-2

Date Report Requested: 10/22/2014

Time Report Requested: 02:48:54

First Dose M/F: NA / NA

Lab: SRI

B6C3F1 Mouse Female
1000 MG/KG

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 8 | 8 | 8 | 7 | 5 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 7 | 8 | 8 | 8 | 2 | 8 |
| 4 | 4 | 4 | 1 | 7 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 4 | 5 | 5 | 5 | 6 | 5 |

ANIMAL ID

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| 2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

*TOTALS

Special Senses System

NONE

Urinary System

| | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Casts Protein | | | | | 1 | | | | 1 | 1 | 1 | | | | | | | 9 1.0 |
| Renal Tubule, Necrosis | | | | | | 2 | | | | | | | | | | | | 1 2.0 |
| Renal Tubule, Regeneration | | | | | | | 1 | | | | | | | | | | | 2 1.0 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

** END OF REPORT **

* ..Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ ..Tissue examined microscopically

M ..Missing tissue

X ..Lesion present

A ..Autolysis precludes evaluation

I ..Insufficient tissue

BLANK ..Not examined microscopically

1-4 ..Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked